

SharePoint Content Management & Dashboard Reporting (CMDR) Tool

List Fields Version 1.0

Purpose:

The List Fields module is crafted to handle the fields (columns) of a SharePoint list with efficiency and precision. This module includes functions for initializing list field settings, rendering HTML for list fields, updating the display, and performing various operations related to list fields. By providing users with comprehensive control over list fields, the module ensures a seamless and customized approach to managing data within the SharePoint list, enhancing the overall user experience in handling diverse information and field configurations.

	List	Fields							(8	• •	• C
	ublic Fiel	ds									
Add F	Field Ac Mult	dd Import Export to tiple CSV Excel									
		Field Title		Field Name	Туре		Require	ł			
توا	⊑∕⊑	Name 8553196d-ec8d-4564-9861-3dbe9310500	8	FileLeafRef	File		č)			
يتعار	~~	Title fa564e0f-0c70-4ab9-b863-0177e6ddd24	7	Title	Text						
تحرا	╔╱╔╳	Country b0f17d1b-b866-45a7-8fb5-dddbbff0f3d7		Country	Choid	ce					
تحرا	~ ~	Price 30554ec7-4fb9-45bf-8e3f-58c1078a7cd7		Price	Text		•				
يتعار	~ ~	OrderQuantity 2c76b385-7beb-49e0-a83f-fdc81ba0e017	,	OrderQuantity	Num	ber					
تحرز	□	Tier 87db2b95-c3b5-481d-a812-c60819e8403	80	Tier	Text						
يتظر		Type 23bbe564-9c9d-45ca-bdb0-866c68b8405	7	Туре	Text						
تې	~ ~	Active ff2480be-3bca-4c17-9efa-a11ad9f3420f		Active	Text						
يتعار	□	Content Type c042a256-787d-4a6f-8a8a-cf6ab767f12a	1	ContentType	Com	puted					
	lon-Publi	c Fields									
Field Title Field N		ame		Туре		Required	Hidden	Read Only	4		
Ēq	Content Type ID 03e45e84-1992-4d42-9116-26f756012634		Conten	entTypeId		Conte	entTypeId		~	~	
C Approver Comments 34ad21eb-75bd-4544-8c73-0e08330291fe		_Mode	oderationComments N		Note			~	~		
Document Modified By Mod 822c78e3-1ea9-4943-b449-57863ad33ca9 Mod		Modifie	ed_x0020_By	Text			~	~			
Document Created By Created 4dd7e525-8d6b-4cb4-9d3e-44ee25f973eb Created		Created	d_x0020_By	Text			~	~			
File Type File_39360f11-34cf-4356-9945-25c44e68dade File_3		File_x00	020_Type	Text			~	~			
HTML File Type 0.55e0085-eb30-494b-9cdd-ece1d3c649a2		HTML_	x0020_File_x0020	_Type	Text			\checkmark	\checkmark		

Functions:

Header

- List Fields Collection Additional Details Icon: this icon opens the Additional Details: fields modal with a list of all the different functions and objects (and any retrievable values).
- Hide Icon: this icon will hide the current module.
- **Print Icon**: this icon generates a print preview of the module.
- **Refresh List Fields Icon**: this icon is located in the upper-right corner of the module and allows the user to forcibly refresh the module.

SharePoint CMDR Tool: List Fields

Public Fields

Title

• The title acts as a show/hide accordion toggle.

Menu

- The menu allows the user several operations:
 - Add Field Icon: This menu option opens the Create Column page in SharePoint.
 - Add Multiple Fields Icon: this menu option allows the user to create multiple fields using the Add List Fields modal.
 - Import CSV Icon: this menu option opens a series of modals that allows the user to:
 - Load a CSV file.
 - Create new fields from the CSV.
 - **Export to Excel Icon**: This menu option converts the Public Fields table into a XLS file and downloads the file for the user to open in Microsoft Excel.

Content

The content of the Public Fields section contains a table of every Field within the current List that is not marked as hidden or read-only.

Each row contains the following columns:

- Action Column: this column contains a series of icons that allow the user to perform actions against the listed row item.
 - **Field Details Icon**: this icon opens the Additional Details: field modal with a list of all the different functions and objects (and any retrievable values).
 - Edit Field Icon: this icon opens the Edit Column page in SharePoint.
 - **Delete Field Icon**: this icon prompts the user to delete the selected field.
- Field Title: this column lists the title of the Field and its GUID.
- **Field Name:** this column lists the name of the Field.
- **Type:** this column shows if the Field type.
- **Required**: this column allows the user to toggle if the field is required or not.

Non-Public Fields

Title

• The title acts as a show/hide accordion toggle.

Menu

• No functionality associated at this time.

Content

The content of the Non-Public Fields section contains a table of every hidden or read-only Field within the current List.

Each row contains the following columns:

- Action Column: this column contains a series of icons that allow the user to perform actions against the listed row item.
 - **Field Details Icon**: this icon opens the Additional Details: subscription modal with a list of all the different functions and objects (and any retrievable values).

- **Field Title:** this column lists the title of the Field and its GUID.
- **Field Name:** this column lists the name of the Field.
- **Type:** this column shows if the Field type.
- **Required**: this column shows if the Field is required.
- **Hidden**: this column shows if the Field is hidden.
- **Read-Only**: this column shows if the Field is read-only.

Modals

Additional Details: fields Modal

The Additional Details: fields modal allows the user to view a list of all the different functions and objects (and any retrievable values) associated with a specified object. This feature, like every Additional Details modal, is designed to provide administrators and developers more insight into their SharePoint environment.

Items with a red diamond indicator represent a function or object that exists, but no data was able to be retrieved; if the user wants to explore the function or object, they will have to pursue that on their own.

A yellow triangle indicator represents a function or object that exists, and some information about the function or object was able to be retrieved; the user will need to explore that on their own.

A green circle indicator indicates the function or object was able to be executed and provided results.

SharePoint CMDR Tool: List Fields

	🗆 Additional Details: fields 🛛 🕹							
	Name	Туре	Value	-				
	getEnumerator	function	[object Object]					
	\$0_0	object	[object Object]					
	\$5_0	object	[object Object]					
٠	\$1E_1	object						
	\$2_1	object	[object Object].[object Object	t				
	\$12_1	boolean	true					
٠	itemAt	function						
٠	get_item	function						
	get_childItemType	function	function(b,a){ULSdih:;SP.Field.initializeBase(this,[b,a])}					
	get_schemaXml	function						
	getByTitle	function	[object Object]					
•	getByld	function	function(c){ULSdih:;var d=this.get_context(),a,b=this.get_objectData().get_methodRe {};this.get_objectData().get_methodReturnObjects().GetById=b}a=b[c.toString()];if(ISF SP.ObjectPathMethod(d,this.get_path(),"GetById",[c]));b[c.toString()]=a;return a}	et F				
•	initPropertiesFromJson	function	function(a){ULSdih;;SPClientObject.prototype.initPropertiesFromJson.call(this,a);var b {this.get_objectData().get_properties().SchemaXml=b;delete a.SchemaXml}}	c				
	add	function	[object Object]					
	addDependentLookup	function	[object Object]					
	addFieldAsXml	function	[object Object]					
	getByInternalNameOrTitle	function	[object Object]					
	constructor	function	$function(b,a) \{ ULS dih;; SP.Field Collection.initialize Base(this, [b,a]) \}$					
	get_areItemsAvailable	function	true					
	retrieveltems	function	[object Object]					
٠	\$1U_0	function						
4	\$3M_1	function	[object Object]	•				

Additional Details: field Modal

The Additional Details: field modal allows the user to view a list of all the different functions and objects (and any retrievable values) associated with a specified object. This feature, like every Additional Details modal, is designed to provide administrators and developers more insight into their SharePoint environment.

Items with a red diamond indicator represent a function or object that exists, but no data was able to be retrieved; if the user wants to explore the function or object, they will have to pursue that on their own.

A yellow triangle indicator represents a function or object that exists, and some information about the function or object was able to be retrieved; the user will need to explore that on their own.

A green circle indicator indicates the function or object was able to be executed and provided results.

SharePoint CMDR Tool: List Fields

	Additional Details: field		×
	Name	Туре	Value
	\$0_0	object	[object Object]
	\$5_0	object	[object Object]
	get_canBeDeleted	function	true
٠	get_defaultValue	function	
٠	set_defaultValue	function	
	get_description	function	
٠	set_description	function	
	get_direction	function	none
٠	set_direction	function	
	get_enforceUniqueValues	function	false
٠	set_enforceUniqueValues	function	
	get_entityPropertyName	function	DefinitionId
	get_filterable	function	true
	get_fromBaseType	function	false
	get_group	function	Custom Columns
٠	set_group	function	
	get_hidden	function	false
٠	set_hidden	function	
	get_id	function	de90c424-0414-4d3c-a6d0-a8090fc2f731
	get_indexed	function	true
٠	set_indexed	function	
	get_internalName	function	DefinitionId
	get_jsLink	function	clienttemplates.js
•	set_jsLink	function	
	get_readOnlyField	function	false
٠	set_readOnlyField	function	
	get_required	function	false
•	set_required	function	
	get_schemaXml	function	
♦	set schemaXml	function	

Add List Fields Modal

The Add List Fields modal provides the user the ability to add multiple fields to the List. The modal is composed of the following controls:

- Action Column: this column contains a series of icons that allow the user to perform actions against the listed row item.
 - **Delete Icon**: this icon allows the user to remove a potential field from the list.
- Field Name: this column contains a text field for the Name of the Field.
- Field Type: this column contains a dropdown of the various Field Types.
- **Required:** this column contains a checkbox to indicate if the potential field is Required.

The user can generate new rows to the list by clicking on the 'Add Field' button.

The user can create the fields by clicking on the 'Submit' button.

The user can quit by clicking on the 'Cancel' button.

Field Name	Field Type		Required
testField	Single-Line of Text	~	
TestField 2	Dropdown	~	
TestField 3	User	~	

Import CSV Modals

The Import CSV modals allows are a 2-stage process that allows users to import fields from a CSV file.

The first modal, Load CSV File, allows the user to load a CSV file from their local machine.

Load CSV File		×
Select File	Choose File No file chosen	
		Load Cancel

The second modal, Map CSV Headers to List, allows the user to determine which fields/columns to import.

Map CSV Headers to List						
Select All						
	CSV Headers	New Field Types				
	Title	Select 👻				
	URL	Single-Line of Text				
	Tier	Select 🗸				
	Туре	Select Y				
	Active	Select 👻				
	Order	Dropdown				
	Locked	Select 💙				
	Startup	Date/DateTime 🗸				
		Finish Cancel				